



TEC

TEC 8000 WRA Storage Lift

8,000 lb Wide-Body Four-Post Storage Lift

**8,000 LB CAPACITY • WIDE FRAME FOR SPORTS
CARS • RED COLUMNS**

Contact for Pricing

The TEC 8000 WRA is the wide-body version of our 8,000 lb four-post storage lift, built around today's sports cars — a wider runway spacing than the standard 8000S, finished with red columns and supplied with light weight aluminum approach ramps, a caster kit, jack tray and three drip pans.

8,000 lbs.
CAPACITY

74.8"
LIFTING HEIGHT

10
LOCKING POSITIONS

**115V – 20 Amp /
1PH**
POWER

WHICH 8000 IS RIGHT FOR YOU?

All three share the same 8,000 lb four-post frame, safety system and kit — they differ in how tall and how wide they are.

WHY CHOOSE A TEC 8000 LIFT?

01

SUPERIOR DURABILITY

Built with high-quality materials, TEC 8000 lifts are engineered to withstand heavy-duty usage. This ensures long-lasting performance and reliability.

02

ADVANCED SAFETY FEATURES

Safety is our top priority. TEC 8000 lifts are equipped with state-of-the-art safety mechanisms, including automatic locking systems and overload protection, to keep you and your vehicles secure.

03

VERSATILE APPLICATIONS

Whether for routine maintenance, repairs, or storage, our lifts cater to a wide array of vehicles, from compact cars to larger SUVs and trucks.

04

USER-FRIENDLY DESIGN

With intuitive controls and easy setup, these lifts are designed for both professional mechanics and DIY enthusiasts. Enjoy hassle-free operation and maintenance.

05

SPACE-SAVING SOLUTIONS

Maximize your workspace with TEC 8000 lifts. Their compact design allows for efficient use of space, making them ideal for both small garages and large commercial workshops.

FEATURES

- High quality service / storage lift
- Slack-cable / safety device system
- Diamond plate runways
- Single point, manual lock release
- Light weight aluminum approach ramps
- Wide frame designed for current-day sports cars
- Internal lock ladder design
- Adjustable lock ladder leveling
- Powder coat finish — red columns

INCLUDED WITH EVERY WRA



INCLUDED

ALUMINUM APPROACH RAMPS



INCLUDED

CASTER KIT WITH POLY WHEELS



INCLUDED

JACK TRAY



INCLUDED


3 DRIP PANS

SPECIFICATIONS

SPECIFICATION	TEC 8000S	TEC 8000XH	TEC 8000 WRA
Lifting Capacity	8,000 lbs.	8,000 lbs.	8,000 lbs.
Lifting Height	74.8"	82.3"	74.8"
Overall Length w/ Ramps	207.3"	222.5"	207.3"
Overall Length w/o Ramps	175.5"	190.7"	175.5"
Overall Width	103.5"	109.4"	109.4"
Runway Tread Width	18.7"	18.7"	18.7"
Runway Length	165.5"	180.5"	165.5"
Runway Height	4.3"	4.3"	4.3"
Column Height	86"	94"	86"
Clearance between Columns	94.4"	100.3"	100.3"
Clearance between Runways	37.2"	42.2"	42.2"
Outside Runway to Outside Runway	74.8"	80.7"	80.7"
Clearance Under Runways	70"	78"	70"
Drive-Thru Width	80"	87.2"	87.2"
Locking Positions	10	12	10
Base Plate Size	10" x 12"	10" x 12"	10" x 12"
Power	115V – 20 Amp / 1PH	115V – 20 Amp / 1PH	115V – 20 Amp / 1PH
Ship Weight	1,545 lbs. / 1,695 lbs.	1,805 lbs.	1,545 lbs. / 1,695 lbs.
Approach Ramps	Steel	Steel	Aluminum

The WRA is the standard-height 8000S built to the 8000XH's width, so it carries the 8000S figures with the 8000XH widths — shown here beside both for comparison. Figures from the TEC 8000 Series brochure, subject to change.

DIMENSIONS



TEC 8000 SERIES DIMENSION DRAWINGS — THE WRA SHARES THE 8000S HEIGHTS AND LENGTHS WITH THE 8000XH WIDTHS

SITE REQUIREMENTS

FLOOR REQUIREMENTS

Visually inspect the site where the lift is to be installed and check for cracked or defective concrete. This lift must be installed on a solid level concrete floor with no more than 2 degrees of slope. A level floor is suggested for proper installation and level lifting. If a floor is of questionable slope, consider a survey of the site and/or the possibility of pouring a new level concrete slab. This lift is designed to be installed on a minimum of 4-1/4" thick, 3000psi, steel reinforced concrete. Do not install this lift on asphalt, wood, or any other surface other than described. This lift is only as strong as the foundation on which it is installed.